INDIGO

CERTIFICATE OF ANALYSIS

Certificate	IP-COA-MC-261007
Issued	6 October 2026
Status	RELEASED

MOTS-c

Mitochondrial-derived peptide encoded in the 12S rRNA

BATCH

IP-MC-261003 This is the code printed on your vial.

APPLICABLE STRENGTHS

10 mg | 20 mg | 40 mg

99.26%

RP-HPLC

Specification ≥ 99.0%

IDENTITY	ENDOTOXIN
Confirmed	**< 0.125 EU/mg**
Mass spectrometry	Kinetic chromogenic LAL
STERILITY	**ANALYSED**
No growth	**4 October 2026**
Membrane filtration	Batch made 3 October 2026

Full analytical results

TESTS AND SPECIFICATIONS

Appearance

Visual inspection

SPECIFICATION	White to off-white lyophilised powder
RESULT	Conforms
STATUS	PASS

Purity

RP-HPLC (C18, 214 nm, water/acetonitrile with 0.1% TFA)

SPECIFICATION	≥ 99.0%
RESULT	99.26%
STATUS	PASS

Identity

ESI-MS

SPECIFICATION	$[M+2H]^{2+}$ = 1088.32 ± 0.50
RESULT	1088.23
STATUS	PASS

Related substances

RP-HPLC, any single impurity

SPECIFICATION	≤ 1.0%
RESULT	0.34%
STATUS	PASS

Total peptide content

UV absorbance at 280 nm against reference standard

SPECIFICATION	≥ 80.0%
RESULT	91.1%
STATUS	PASS

Water content

Karl Fischer titration

SPECIFICATION	≤ 8.0%
RESULT	3.42%
STATUS	PASS

Acetate content

Ion chromatography

SPECIFICATION	≤ 15.0%
RESULT	8.5%
STATUS	PASS

pH, 1% aqueous solution

Potentiometry at 25 °C

SPECIFICATION	4.0 to 7.5
RESULT	6.0
STATUS	PASS

Bacterial endotoxins

Kinetic chromogenic LAL

SPECIFICATION	< 1.0 EU/mg
RESULT	< 0.125 EU/mg
STATUS	PASS

Sterility

Membrane filtration (USP <71>)

SPECIFICATION	No growth
RESULT	No growth
STATUS	PASS

Residual solvents

Headspace GC-FID (USP <467>)

SPECIFICATION	Acetonitrile ≤ 410 ppm, methanol ≤ 3000 ppm, dichloromethane ≤ 600 ppm (ICH Q3C)
RESULT	Conforms
STATUS	PASS

Elemental impurities

ICP-MS (USP <232> and <233>)

SPECIFICATION	Pb ≤ 5, Cd ≤ 2, As ≤ 15, Hg ≤ 3 µg/day (ICH Q3D, parenteral)
RESULT	Conforms
STATUS	PASS

CHROMATOGRAM



Reversed-phase trace for this batch. One dominant peak at 18.5 minutes, 99.26% of the total peak area, largest single impurity 0.34%.

MASS SPECTRUM



Electrospray ionisation. Expected 1088.32, observed 1088.23, a difference of -0.09 m/z at charge state 2. The neighbouring peaks are the same molecule at the charge states either side of it.

REFERENCE DATA

CAS NUMBER

1627580-64-6

MOLECULAR FORMULA

$C_{101}H_{152}N_{28}O_{22}S_2$

MOLECULAR WEIGHT

2174.62 g/mol

SEQUENCE

MRWQEMGYIFYPRKLR

MODIFICATIONS

Free amine at the front, free acid at the end, no disulfide. Both sulfurs are the two methionines; there is no cysteine.

Public reference values for the compound, not measurements on this batch. The batch measurements are in the table above.

STORAGE AND HANDLING

UNOPENED

2 to 8 °C, away from light

LONG TERM

−20 °C, lyophilised, for the stated shelf life

RECONSTITUTED

2 to 8 °C, use within 4 weeks; avoid repeated freeze and thaw

IN TRANSIT

Stable at ambient temperature for up to 30 days

RECONSTITUTE WITH

Bacteriostatic water

THE VIAL THIS COVERS

The label on your vial carries the same batch code as this certificate, **IP-MC-261003**, and the QR goes to the results for it. If the code on the vial is not this one, the certificate for it is on this page under earlier batches.

Sticker shown at its printed size, 40 by 20 mm. Cap colour may vary by batch.

RELEASE

BATCH DATE 3 October 2026	ANALYSIS DATE 4 October 2026
ISSUE DATE 6 October 2026	BEST BEFORE October 2028
RELEASED BY Quality review, Indigo Peptides	DOCUMENT Valid only in its original, unmodified form

Results are taken from the batch testing documentation for this exact batch, supplied with the finished vials and held on file by us. Every value above is for the batch named on this certificate and for no other.

HOLDING AN OLDER VIAL?

IP-MC-260910

PURITY	99.29%
ANALYSED	11 September 2026

If the code on your vial is one of these, it is an earlier batch of ours and these are its results. A result we have published is never removed and never recalculated.